

10-03-00

A

Box seq

10/02/00
JC860 U.S. PTO

Patent Application Transmittal
(only for new nonprovisional applications under 37 C.F.R. 1.53(b))

Correspondence Address:
FROMMER LAWRENCE & HAUG LLP
745 Fifth Avenue
New York, New York 10151
Tel. (212) 588-0800 Fax: (212) 588-0500

Date: September 29, 2000
Re: 454313-3160

JC836 U.S. PTO
09/677672
10/02/00

TO: HONORABLE ASSISTANT COMMISSIONER FOR PATENTS
Box: NEW PATENT APPLICATION, Washington, D.C. 20231

Sir:

With reference to the filing in the United States Patent and Trademark Office of an application for patent in the name of:

AUDONNET Jean-Christophe Francis and MINKE Jules Maarten

entitled: **ADJUVANT-CONTAINING DNA VACCINES**

☐ This is an application of a small entity under 37 CFR 1.9(f).

☐ Small Entity Verified Statement is enclosed (unsigned)

The following are enclosed:

- ☒ Specification (28 pages, plus 1 page of abstract on page 32.)
- ☒ Sheet(s) of Drawings (6 PAGES) (FIGS. 1 to 6)
- ☒ 14 Claims (pp. 29-31)
- ☒ Oath or Declaration and Power of Attorney (1 page)
- ☒ Information Disclosure Statement and FORM PTO-1449 (in duplicate).
- ☒ Paper form and computer readable form of Sequence Listings.
- ☒ Statement to support filing and submission of sequence listing in accordance with 37 C.F.R. §§ 1.821-1.825
- ☒ Filing fee in the amount of **\$690.00**.

Kindly accord the application an October 2, 2000 filing date.

Respectfully submitted,
FROMMER LAWRENCE & HAUG LLP
Attorneys for Applicants

By:

Thomas J. Kowalski
Thomas J. Kowalski
Reg. No. 32,147
Phone (212) 588-0800

EXPRESS MAIL

Mailing Label Number: EL 375 195 811 US

Date of Deposit: October 2, 2000

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" Service under 37 CFR 1.10 on the date indicated above and is addressed to: Assistant Commissioner for Patents, Washington, D.C. 20231.

Kenneth Patterson
(Typed or printed name of person mailing paper or fee)

[Signature]
(Signature of person mailing paper or fee)

YL0286

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants : AUDONNET Jean-Christophe Francis and MINKE Jules Maarten
Serial No. : Not Yet Known
Filing Date : Herewith
For : ADJUVANT-CONTAINING DNA VACCINES
Examiner : Not Yet Known
Art Unit : Not Yet Known

745 Fifth Avenue
New York, New York 10151


EXPRESS MAIL

Mailing Label Number: EL 375 195 811 US

Date of Deposit: October 2, 2000

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" Service under 37 CFR 1.10 on the date indicated above and is addressed to: Assistant Commissioner for Patents, Washington, D.C. 20231.

Kenneth Patterson
(Typed or printed name of person mailing paper or fee)


(Signature of person mailing paper or fee)

PRELIMINARY AMENDMENT

Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

Kindly amend the application, without any prejudice, without any admission, without any surrender of subject matter, and without any intention of creating any estoppel as to equivalents as follows:

IN THE SPECIFICATION

On page 1, before line 1, please insert

-- **TITLE OF THE INVENTION**

ADJUVANT-CONTAINING VACCINES

**CROSS-REFERENCE TO RELATED APPLICATIONS/INCORPORATION BY
REFERENCE**

This application is a continuation-in-part of PCT/FR99/00666, filed on March 22, 1999 which claims the priority benefits of French Patent Application No. 98/04409, filed on April 3, 1998. Each of these applications, as well as each document or reference cited in each of these applications (including during the prosecution; "application cited documents"), and each foreign application or patent corresponding to and/or claiming priority from any of these applications, and each of the documents cited or referenced in each of the application cited documents, are hereby expressly incorporated herein by reference in their entirety. More generally, documents or references are cited in this text; and, each of these documents or references ("herein-cited documents or references"), as well as each document or reference cited in each of the herein-cited documents or references (including any manufacturer's specifications, instructions, etc.), is hereby expressly incorporated herein by reference.

FIELD OF THE INVENTION --.

Page 1, line 9, please insert

-- **BACKGROUND** --

Page 1, line 31, please insert

-- **SUMMARY OF THE INVENTION** --

Page 2, line 8, please insert

-- **DETAILED DESCRIPTION** --

Page 12, line 1, please replace "list of figures," with -- **BRIEF DESCRIPTION OF
THE DRAWINGS** --

REMARKS


This Preliminary Amendment merely adds a lineage, and headings, to place the application in better condition for examination.

No fee is deemed necessary in connection with the filing of this Preliminary Amendment. However, if any fee is required for the consideration of this Preliminary Amendment, the Assistant Commissioner is authorized to charge such fee or credit any overpayment to Deposit Account 50-0320.

Respectfully submitted,

FROMMER LAWRENCE & HAUG LLP

By:



Thomas J. Kowalski

Reg. No. 32,147

Phone (212) 588-0800

Fax (212) 588-0500

The present invention relates to an improvement to DNA vaccines, also called plasmid or polynucleotide vaccines, comprising and expressing in vivo one or more heterologous genes. It relates in particular to such improved vaccines, to the use of particular adjuvant compounds for using such vaccines as well as to the vaccination methods relating thereto. Its subject is also a method of preparing these vaccines.

Patent applications WO-A-90 11092, WO-A-93 19183, WO-A-94 21797, WO-A-95 11307 and WO-A-95 20660 have made use of the recently developed technique of polynucleotide vaccines. It is known that these vaccines use a plasmid capable of expressing, in the cells of the host, a gene inserted into the plasmid and encoding an immunogen. All routes of administration have been proposed (intraperitoneal, intravenous, intramuscular, transcutaneous, intradermal, mucosal, and the like). Various means of vaccination may also be used, such as DNA deposited at the surface of gold particles and discharged so as to penetrate into the cells of the skin of the animal (Tang et al., Nature 356, 152-154, 1992) and liquid jet injectors make it possible to transfect into the skin, muscle, fatty tissues and mammary tissues (Furth et al., Analytical Biochemistry, 205, 365-368, 1992).

These polynucleotide vaccines may be used in the form of naked DNA or in the form of a complex with liposomes or cationic lipids.

The objective of the invention is to enhance the efficacy of DNA vaccines by providing new vaccine formulations which are simple and easy to prepare.

Its objective is also to provide such a solution which does not cause strong interactions between the DNA and the other ingredient, which are capable of leading to the formation of a complex.

Its objective is also to provide such a solution which makes it possible, either by simple mixing, to prepare stable vaccines, formulated in a

liquid form, or to easily prepare a liquid vaccine by mixing immediately before use.

5 The applicant has found, surprisingly, that the carbomer class of compounds meet these various objectives and in particular are capable of acting as adjuvants for naked DNA vaccines in a simple manner but in very advantageous proportions.

10 The subject of the present invention is therefore a DNA vaccine comprising a naked DNA, in particular circular vaccinal plasmid, supercoiled or otherwise, or a linear DNA molecule, incorporating and expressing in vivo a nucleotide sequence encoding an antigenic polypeptide, preferably a gene of a pathogenic agent, and at least one adjuvant compound
15 chosen from the polymers of acrylic or methacrylic acid and the copolymers of maleic anhydride and alkenyl derivative.


20 Naked DNA is understood to mean, as is nowadays commonly accepted, a DNA transcription unit in the form of a polynucleotide sequence comprising at least one nucleotide sequence encoding an antigenic polypeptide or an antigen of one valency and the elements necessary for its expression in vivo. The circular plasmid form, supercoiled or otherwise, is preferred. Valency in the
25 present invention is understood to mean at least one antigen providing protection against a pathogen, it being possible for the valency to contain, as sub-valency, one or more natural or modified genes, of one or more strains of the pathogen considered.

30 The preferred adjuvant compounds are the polymers of acrylic or methacrylic acid which are cross-linked, especially with polyalkenyl ethers of sugars or polyalcohols. These compounds are known by the term carbomer (Pharmeuropa Vol. 8, No. 2, June
35 1996). Persons skilled in the art can also refer to US-A-2 909 462 (incorporated herein by reference) which describes such acrylic polymers cross-linked with a polyhydroxylated compound having at least 3 hydroxyl groups, preferably not more than 8, the hydrogen atoms

of at least three hydroxyls being replaced by unsaturated aliphatic radicals having at least 2 carbon atoms. The preferred radicals are those containing from 2 to 4 carbon atoms, e.g. vinyls, allyls and other ethylenically unsaturated groups. The unsaturated radicals may themselves contain other substituents, such as methyl. The products sold under the name Carbopol® (BF Goodrich, Ohio, USA) are particularly appropriate. They are cross-linked with an allyl sucrose or with allyl pentaerythritol. Among them, there may be mentioned Carbopol® 974P, 934P and 971P.

Among the copolymers of maleic anhydride and alkenyl derivative, the copolymers EMA® (Monsanto) which are copolymers of maleic anhydride and ethylene, linear or cross-linked, for example cross-linked with divinyl ether, are preferred. Reference may be made to J. Fields et al., Nature, 186: 778-780, 4 June 1960, incorporated herein by reference.

From the point of view of their structure, the polymers of acrylic or methacrylic acid and the copolymers EMA® are preferably formed of basic units of the following formula:



in which:

- R₁ and R₂, which are identical or different, represent H or CH₃
- x = 0 or 1, preferably x = 1
- y = 1 or 2, with x + y = 2

For the copolymers EMA®, x = 0 and y = 2. For the carbomers, x = y = 1.

The dissolution of these polymers in water leads to an acid solution which will be neutralized, preferably to physiological pH, in order to give the adjuvant solution into which the vaccine itself will be

incorporated. The carboxyl groups of the polymer are then partly in COO^- form.

Preferably, a solution of adjuvant according to the invention, especially of carbomer, is prepared in distilled water, preferably in the presence of sodium chloride, the solution obtained being at acidic pH. This stock solution is diluted by adding it to the desired quantity (for obtaining the desired final concentration), or a substantial part thereof, of water charged with NaCl, preferably physiological saline (NaCl 9 g/l) all at once or in several portions with concomitant or subsequent neutralization (pH 7.3 to 7.4), preferably with NaOH. This solution at physiological pH will be used as it is for mixing with the vaccine, which may be especially stored in freeze-dried, liquid or frozen form.

The polymer concentration in the final vaccine composition will be 0.01% to 2% w/v, more particularly 0.06 to 1% w/v, preferably 0.1 to 0.6% w/v.

For the vaccination of pigs, the invention may apply in particular to vaccination against Aujeszky's disease virus (PRV or pseudorabies virus), porcine influenza virus (SIV), porcine reproductive and respiratory syndrome virus (PRRS virus), porcine parvovirus (PPV virus), hog cholera virus (HCV virus) and bacterium responsible for actinobacillosis (*A. pleuropneumoniae*). The plasmids which can be used in the invention comprise, for each valency, one or more of the genes encoding major immunogens of the pathogenic agents considered. There may be mentioned in particular the gB and gD genes for the Aujeszky's disease virus, the HA, NP and N genes for the porcine influenza virus, the ORF5 (E), ORF3 and ORF6 (M) genes for the PRRS virus, VP2 for the parvovirus, E2, E1 + E2, E1 + E2 + C for the hog cholera virus and apxI, apxII and apxIII for *A. pleuropneumoniae*. In a particularly advantageous manner, reference may be made to the polynucleotide vaccine formulas described in patent application WO-A-98 03 658 (FR-A-2,751,224)

which is incorporated herein by reference and relates to vaccines against pig reproductive and respiratory pathologies. This application describes in particular a number of plasmids which may be directly used by way of
5 examples in the context of the present invention in combination with an adjuvant according to the invention. Persons skilled in the art will thus be able to combine, with the adjuvants in accordance with the invention, the plasmids specifically described in this
10 previous application, namely pAB090 comprising the gB gene of the PRV virus, pPB098 comprising the gD gene of the PRV virus, pPB143 comprising the HA gene of porcine influenza, strain H1N1, pPB142 comprising the NP gene of porcine influenza, strain H1N1, pPB144 comprising
15 the HA gene of porcine influenza, strain H3N2, pPB132 comprising the NP gene of porcine influenza, strain H3N2, pAB025 comprising ORF5 of the PRRS virus, strain Lelystad, pAB001 comprising ORF5 of the PRRS virus, strain USA, pAB091 comprising ORF3 of the PRRS virus,
20 strain Lelystad, pAB092 comprising ORF3 of the PRRS virus, strain USA, pAB004 comprising the VP2 gene of the porcine parvovirus, pAB069 comprising the E1 gene of the hog cholera virus (HCV), pAB061 comprising the E2 gene of the hog cholera virus (HCV), pAB162
25 comprising the deleted apxI gene of A. pleuropneumoniae, pPB163 comprising the deleted apxII gene of A. pleuropneumoniae, pPB174', pPB189 and pPB190 comprising the deleted apxIII gene of A. pleuropneumoniae.

30 For the vaccination of horses, there may be mentioned in particular vaccination against equine rhinopneumonia virus (EHV), especially type 1 (EHV-1) and type 4 (EHV-4), against the equine influenza virus EIV, against tetanus (Cl.tetani), against the Eastern
35 encephalitis virus (EEV), Western encephalitis virus (WEV) and Venezuelan encephalitis virus (VEV), as well as against Lyme disease (B. burgdorferi), against equine arthritis (EAV) and against rabies. Among the genes encoding major immunogens which can be used

according to the invention, there may be mentioned gB and gD genes for the equine rhinopneumonia valency, especially types 1 and 4, the HA, NA and NP genes for equine influenza, the C subunit, optionally modified by mutation or deletion, for the tetanus valency, the C and E2 genes for encephalites, the OspA, OspB and p100 genes for Lyme disease, the E, M and N genes for equine arthritis and the G gene for rabies. Such polynucleotide vaccine formulas against horse pathologies are described in particular in patent application WO-A-98 03 198 (FR-A-2,751,226) which is incorporated herein by reference. This application describes a number of plasmids which can be directly used in the present invention in combination with an adjuvant in accordance with the invention. Persons skilled in the art will therefore be able to combine, with the adjuvant in accordance with the invention, a plasmid as precisely described in this application, namely pAB042 comprising the gB gene of the EHV-1 virus, pAB031 comprising the gB gene of the EHV-4 virus, pAB013 comprising the gD gene of the EHV-1 virus, pAB032 comprising the gD gene of the EHV-4 virus, pAB043 comprising the HA gene of equine influenza, Prague strain, pAB033 comprising the HA gene of equine influenza, Suffolk strain, pAB099 comprising the HA gene of equine influenza, Fontainebleau strain, pAB085 comprising the NP gene of equine influenza, Prague strain, pAB084 comprising the NP gene of equine influenza, Jillin strain, pAB070 comprising the gene for the C subunit of the tetanus toxin, pAB017 comprising the OspA gene of *Borrelia burgdorferi*, pAB094 comprising the E2 gene of the Eastern encephalitis virus, pAB093 comprising the C gene of the Eastern encephalitis virus, pAB096 comprising the E2 gene of the Western encephalitis virus, pAB095 comprising the C gene of the Western encephalitis virus, pAB098 comprising the E2 gene of the Venezuelan encephalitis virus, pAB097 comprising the C gene of the

Venezuelan encephalitis virus and pAB041 comprising the G gene of the rabies virus.

For vaccination of dogs, the invention may apply in particular to vaccination against Canine Distemper (Carré's disease) virus (CDV), canine parvovirus (CPV), canine coronavirus (CCV), canine herpesvirus (CHV), Lyme disease and rabies. Among the genes encoding major immunogens which can be used in the context of the present invention, there may be mentioned most particularly the HA, F, M and N genes for the Canine Distemper virus, the VP2 gene for the canine parvovirus, the S and M genes for the canine coronavirus (CCV), the gB and gD genes for the CHV virus, the OspA and OspB and p100 genes for B. burgdorferi (Lyme disease) and the G gene for rabies. Such polynucleotide vaccine formulas are described in particular in patent application WO-A-98 03 199 (FR-A-2,751,227) which is incorporated herein by reference. Persons skilled in the art will therefore be able to refer to the plasmids described in this application, in combination with the adjuvants in accordance with the invention. Most particularly, they will be able to combine, with the adjuvants in accordance with the invention, the specific plasmids described in this application, namely pAB044 comprising the HA gene of CDV, pAB036 comprising the F gene of CDV, pAB024 comprising the VP2 gene of the canine parvovirus, pAB021 comprising the S gene of CCV, pAB022 comprising the M gene of CCV, pAB037 comprising the gB gene of CHV, pAB038 comprising the gD gene of CHV, pAB017 comprising the OspA gene of B. burgdorferi and pAB041 comprising the G gene of the rabies virus.

For vaccination of bovines, the invention may apply in particular to vaccination against the bovine herpesvirus type 1 or 5 (BHV-1 and BHV-5, responsible for the nervous form of the disease), the bovine respiratory syncytial virus (BRSV), the mucosal disease virus or bovine pestivirus (BVD), the bovine parainfluenza virus type 3 (BPI-3). Among the genes

encoding the major immunogens allowing vaccination against these viruses, there may be mentioned in particular the gB and gD genes for the bovine herpesvirus, F and G for the bovine respiratory syncytial virus, E2, C + E1 + E2 and E1 + E2 for the mucosal disease virus, HN and F for the bovine parainfluenza virus type 3. Such vaccine formulas are described in particular in patent application WO-A-98 03 200 (FR-A-2,751,229) which is incorporated herein by reference. Persons skilled in the art will therefore be able to use the plasmids described in this application in combination with the adjuvants in accordance with the invention. In particular, they will be able to combine, with the adjuvants in accordance with the invention, the plasmids specifically described in this application, namely pPB156 comprising the gB gene of BHV-1, pAB087 comprising the gD gene of BHV-1, pAB011 comprising the F gene of BRSV, pAB012 comprising the G gene of BRSV, pAB058 comprising the C gene of BVD, pAB059 comprising the E1 gene of BVD, pAB060 comprising the E2 gene of BVD, pAB071 comprising the HN gene of BPI-3, pAB072 comprising the F gene of BPI-3.

For the vaccination of cats, the invention may apply in particular to vaccination against the feline leukemia virus FeLV, in particular subtypes A and B, the feline panleukopenia virus (FPV), the feline infectious peritonitis virus (FIPV), the coryza virus or feline herpesvirus (FHV), the feline caliciviro-sis virus (FCV), the feline immunodeficiency virus (FIV) and the rabies virus (rhabdovirus). Among the genes encoding major immunogens allowing vaccination against these pathogens, there may be mentioned in particular the env and gag/pol genes for feline leukemia, VP2 for panleukopaenia, M and modified S (FR-A-2,724,385 incorporated herein by reference) for infectious peritonitis, gB and gD for coryza, capsid for caliciviro-sis, env and gag/pro for feline immuno-deficiency and G for rabies. Polynucleotide vaccine formulas are thus described in patent application

WO-A-98- 03 660 (FR-A-2,751,223) which is incorporated herein by reference. Persons skilled in the art will be able to combine plasmids as described in this application with the adjuvants in accordance with the invention. In particular, they will be able to combine, with the adjuvants in accordance with the invention, the plasmids specifically described in this application, namely pPB179 comprising the env gene of the FeLV-A virus, pPB180 comprising the env gene of the FeLV-B virus, pPB181 comprising the gag/pol gene of FeLV-A, pAB009 comprising the VP2 gene of FPV, pAB053 comprising the modified S gene (FR-A-2 724 385) of the FIPV virus, pAB052 comprising the M gene of FIPV, pAB056 comprising the N gene of FIPV, pAB028 comprising the gB gene of FHV, pAB029 comprising the gD gene of FHV, pAB010 comprising the C gene of FCV, pAB030 comprising the env gene of FIV, pAB083 comprising the gag/pro gene of FIV and pAB041 comprising the G gene of the rabies virus.

For vaccination of avian species, the invention may apply in particular to vaccination against the Marek's disease virus (MDV), the Newcastle disease virus (NDV), the Gumboro disease virus (IBDV or Infectious Bursal Disease Virus), the infectious bronchitis virus (IBV), the infectious anemia virus (CAV), the infectious laryngotracheitis virus (ILTV), the encephalomyelitis virus (AEV or avian leukosis virus ALV), the pneumovirosis virus or pneumovirus, and the avian influenza virus. Among the genes encoding the major immunogens which can be used in the present invention, there may be mentioned most particularly the gB and gD genes for the Marek's disease virus, HN and F for the Newcastle disease virus, VP2 for the Gumboro disease virus, S, M and N for the infectious bronchitis virus, C + NS1 for the infectious anemia virus, gB and gD for the infectious laryngotracheitis virus, env and gag/pro for the encephalomyelitis virus, F and G for the pneumovirosis virus and HA, N and NP for avian influenza. Such polynucleotide vaccine formulas are

described in patent application WO-A-98 03 659 (FR-A-2,751,225) which is incorporated herein by reference. Persons skilled in the art will therefore be able to refer to the plasmids described in this application in order to combine them with the adjuvants in accordance with the invention. Most particularly, persons skilled in the art will be able to combine, with the adjuvants in accordance with the invention, the plasmids described specifically in this application, namely pAB045 comprising the gB gene of MDV, pAB080 comprising the gD gene of MDV, pAB046 comprising the HN gene of NDV, pAB047 comprising the F gene of NDV, pAB048 comprising the VP2 gene of IBDV, pAB049 comprising the S1 gene of IBV, pAB050 comprising the M gene of IBV, pAB051 comprising the N gene of IBV, pAB054 comprising the VP1 gene of CAV, pAB055 comprising the VP2 gene of CAV, pAB076 comprising the gB gene of ILTV, pAB089 comprising the gD gene of ILTV, pAB086 comprising the env gene of AEV, pAB081 comprising the gag/pro gene of AEV, pAB082 comprising the G gene of the pneumovirus, pAB077 comprising the HA gene of avian influenza, strain H2N2, pAB078 comprising the HA gene of avian influenza, strain H7N7, pAB088 comprising the NP gene of avian influenza, strain H1N1, pAB079 comprising the N gene of avian influenza, strain H7N1.

Each naked, in particular plasmid, DNA comprises a promoter capable of bringing about, in the host cells, the expression of the gene inserted under its control. It will be in general a strong eukaryotic promoter and in particular a cytomegalovirus early promoter CMV-IE, of human or murine origin, or alternatively possibly of another origin such as rat, pig or guinea pig. In a more general manner, the promoter may either be of viral origin, or of cellular origin. As viral promoter other than CMV-IE, there may be mentioned the SV40 virus early or late promoter or the Rous sarcoma virus LTR promoter. It may also be a promoter coming from the virus from which the gene is derived, for example the actual promoter of the gene.

As cellular promoter, there may be mentioned the promoter of a cytoskeleton gene, such as for example the desmin promoter (Bolmont et al., Journal of Submicroscopic Cytology and Pathology, 1990, 22, 117-122; and Zhenlin et al., Gene, 1989, 78, 243-254), or alternatively the actin promoter. When several genes are present in the same naked, in particular plasmid, DNA they may be present in the same transcription unit or in two different units.

Of course, a vaccine may combine, for each of the valencies described above, several genes within the same naked, in particular plasmid, DNA and/or several naked, in particular plasmid, DNAs each comprising one or more genes of the same virus.

The subject of the invention is also multivalent recombinant vaccines, that is to say containing one or preferably two or more naked, in particular plasmid, DNAs expressing antigens for two or more diseases, in the form of a mixture in an adjuvant solution in accordance with the invention.

In the ready-for-use vaccine, the naked DNA, in particular the vaccinal plasmid, is present in the quantities normally used and described in the literature.

The subject of the invention is also a method of vaccination consisting of administering by the parenteral, preferably intramuscular, intradermal, route or by the mucosal route a DNA vaccine in accordance with the invention at the rate of one or more administrations.

The subject of the invention is also the use of the adjuvant compounds in accordance with the invention for the production of adjuvant-containing DNA vaccines as described here.

The invention will now be described in greater detail with the aid of the embodiments taken by way of nonlimiting examples and referring to the accompanying figures.

List of figures:

- Figure No. 1: Sequence of the hemagglutinin (HA) gene of the equine influenza virus strain Newmarket 2/93
- Figure No. 2: Sequence of the hemagglutinin (HA) gene of the equine influenza virus strain Kentucky 1/94
- Figure No. 3: Sequence of the neuraminidase (NA) gene of the equine influenza virus strain Newmarket 2/93
- Figure No. 4: Sequence of the neuraminidase (NA) gene of the equine influenza virus strain Kentucky 1/94
- Figure No. 5: Sequence of the nucleoprotein (NP) gene of the equine influenza virus strain Newmarket 2/93
- Figure No. 6: Sequence of the nucleoprotein (NP) gene of the equine influenza virus strain Kentucky 1/94.

Sequence listing:

- SEQ ID No. 1: Oligonucleotide CCL007
- SEQ ID No. 2: Oligonucleotide CCL018
- SEQ ID No. 3: Sequence of the HA gene, EIV Newmarket 2/93 strain
- SEQ ID No. 4: Oligonucleotide CCL020
- SEQ ID No. 5: Sequence of the HA gene, EIV Kentucky 1/94 strain
- SEQ ID No. 6: Oligonucleotide AB260
- SEQ ID No. 7: Oligonucleotide AB262
- SEQ ID No. 8: Sequence of the NA gene, EIV Newmarket 2/93 strain
- SEQ ID No. 9: Sequence of the NA gene, EIV Kentucky 1/94 strain
- SEQ ID No. 10: Oligonucleotide CCL019
- SEQ ID No. 11: Oligonucleotide CCL021
- SEQ ID No. 12: Sequence of the NP gene, EIV Newmarket 2/93 strain

SEQ ID No. 13: Sequence of the NP gene, EIV Kentucky
1/94 strain

Example 1: Adjuvant

The carbomer used in the vaccines in accordance
with the present invention is Carbopol® 974P
5 manufactured by the company BF Goodrich (MW about
3 million).

A stock solution containing 1.5% w/v of
Carbopol® 974P was first prepared in distilled water
containing sodium chloride at 1 g/l.

10 This stock solution is then used for the
manufacture of a solution of Carbopol® in physiological
saline at 4 mg/ml. The stock solution is poured into
the entire physiological saline (or optionally into
most of it) all at once or optionally in several
15 portions with, each time, adjustment of the pH with the
aid of NaOH (for example 1 N or more concentrated) to a
value of about 7.3 to 7.4.

A ready-for-use solution of Carbopol® is
thereby obtained.

20

Example 2: Culture of the viruses

The viruses are cultured on the appropriate
cellular system until a cytopathic effect is obtained.
The cellular systems to be used for each virus are well
25 known to the persons skilled in the art. Briefly, cells
sensitive to the virus used, cultured in Eagle's
minimum essential medium ("MEM" medium) or another
appropriate medium, are inoculated with the viral
strain studied using a multiplicity of infection of 1.
30 The infected cells are then incubated at 37°C for the
time necessary for the appearance of a complete
cytopathic effect (on average 36 hours).

Example 3: Extraction of the viral genomic DNAs

35 After culture, the supernatant and the lysed
cells are harvested and the entire viral suspension is
centrifuged at 1000 g for 10 minutes at +4°C in order

to remove the cellular debris. The viral particles are then harvested by ultracentrifugation at 400,000 g for 1 hour at +4°C. The pellet is taken up in a minimum volume of buffer (10 mM Tris, 1 mM EDTA). This concentrated viral suspension is treated with proteinase K (100 µg/ml final) in the presence of sodium dodecyl sulphate (SDS) (0.5% final) for 2 hours at 37°C. The viral DNA is then extracted with a phenol/chloroform mixture and then precipitated with 2 volumes of absolute ethanol. After one night at -20°C, the DNA is centrifuged at 10,000 g for 15 minutes at +4°C. The DNA pellet is dried and then taken up in a minimum volume of sterile ultrapure water. It can then be digested with restriction enzymes.

Example 4: Isolation of the viral genomic RNAs

The RNA viruses were purified according to techniques well known to persons skilled in the art. The genomic viral RNA of each virus was then isolated using the "guanidium thiocyanate/phenol-chloroform" extraction technique described by P. Chomczynski and N. Sacchi (Anal. Biochem, 1987. **162**. 156-159).

Example 5: Molecular biology techniques

All the plasmid constructions were carried out using the standard molecular biology techniques described by J. Sambrook et al. (*Molecular Cloning: A Laboratory Manual*. 2nd Edition. Cold Spring Harbor Laboratory, Cold Spring Harbor, New York, 1989). All the restriction fragments used for the present invention were isolated using the "Geneclean" kit (BIO101 Inc. La Jolla, CA).

Example 6: RT-PCR technique

Specific oligonucleotides (containing at their 5' ends restriction sites to facilitate the cloning of the amplified fragments) were synthesized so that they completely cover the coding regions of the genes which

have to be amplified (see specific examples). The reverse transcription reaction (RT) and polymerase chain reaction (PCR) were carried out according to standard techniques (J. Sambrook et al. *Molecular Cloning: A Laboratory Manual*. 2nd Edition. Cold Spring Harbor Laboratory, Cold Spring Harbor, New York, 1989). Each RT-PCR reaction was performed with a pair of specific amplimers and taking as template the extracted viral genomic RNA. The amplified complementary DNA was extracted with phenol/chloroform/isoamyl alcohol (25:24:1) before being digested with restriction enzymes.

Example 7: Plasmid pVR1012

The plasmid pVR1012 was obtained from Vical Inc. San Diego, CA, USA. Its construction has been described in J. Hartikka et al. (Human Gene Therapy. 1996. 7. 1205-1217) incorporated herein by reference.

Example 8: Construction of the plasmid pCCL027 (Newmarket 2/93 EIV HA gene)

An RT-PCR reaction according to the technique described in Example 6 was carried out with the genomic RNA of the equine influenza virus (EIV) (Newmarket 2/93 strain) (Daly et al. J. Gen. Virol. 1996. 77. 661-671), prepared according to the technique described in Example 4, and with the following oligonucleotides:

CCL007 (40 mer) (SEQ ID No.1)
5' TTGTCGACTCAATCATGAAGACAACCATTTGATACT 3'
CCL018 (34 mer) (SEQ ID No. 2)
5' TTGGATCCTTACTCAAATGCAAATGTTGCACCTG 3'

in order to isolate the gene encoding the HA glycoprotein of the equine influenza virus (Newmarket 2/93 strain) (Figure No. 1, SEQ ID No. 3) in the form of a PCR fragment of about 1750 bp. This fragment was purified and then ligated with the vector pCRII (Cat# K2000-01, Invitrogen Corp. Carlsbad, CA) in order to give the plasmid pCCL026. The plasmid pCCL026 was then digested with the restriction enzymes SalI and NotI in

order to isolate an SalI-NotI fragment of 1751 bp containing the Newmarket 2/93 EIV HA gene. This fragment was then ligated with the plasmid pVR1012 (see Example 7), previously digested with SalI and NotI, in order to give the plasmid pCCL027 (6642 bp).

Example 9: Construction of the plasmid pPB242 (Kentucky 1/94 EIV HA gene)

10 An RT-PCR reaction according to the technique described in Example 6 was carried out with the genomic RNA of the equine influenza virus (EIV) (Kentucky 1/94 strain) (Daly et al. J. Gen. Virol. 1996. **77**, 661-671), prepared according to the technique described in
15 Example 4, and with the following oligonucleotides:
CCL007 (40 mer) (SEQ ID No. 1)
5' TTGTCGACTCAATCATGAAGACAACCATTATTTTGATACT 3'
CCL020 (34 mer) (SEQ ID No. 4)
5' TTGGATCCTTACTCAAATGCAAATGTTGCATCTG 3'
20 in order to isolate the gene encoding the HA glycoprotein of the equine influenza virus (Kentucky 1/94 strain) (Figure No. 2, SEQ ID No. 5) in the form of a PCR fragment of about 1750 bp. This fragment was purified and then ligated with the vector pCRII (Cat#
25 K2000-01, Invitrogen Corp. Carlsbad, CA) in order to give the plasmid pCCL028. The plasmid pCCL028 was digested with the restriction enzymes SacI and BamHI in order to isolate an SacI-BamHI fragment of 1153 bp (fragment A) containing the 3' part of the Kentucky
30 1/94 EIV HA gene. The plasmid pCCL028 was digested with the restriction enzymes SacI and EcoRV in order to isolate a SacI-EcoRV fragment of 621 bp (fragment B) containing the 5' part of the Kentucky 1/94 EIV HA gene. Fragments A and B were then ligated together with
35 the plasmid pVR1012 (see Example 7), previously digested with EcoRV and BamHI, in order to give the plasmid pPB242 (6688 bp).

**Example 10: Construction of the plasmid pAB142
(Newmarket 2/93 EIV NA gene)**

An RT-PCR reaction according to the technique described in Example 6 was carried out with the genomic RNA of the equine influenza virus (EIV) (Newmarket 2/93 strain) (Daly et al. J. Gen. Virol. 1996, **77**, 661-671), prepared according to the technique described in Example 4, with the following oligonucleotides:

AB260 (35 mer) (SEQ ID No. 6)

5' TTTGTCGACATGAAYCCAAATCAAAARATAATAAC 3'

AB262 (32 mer) (SEQ ID No. 7)

5' TTTGGATCCYTACATCTTRTCGATGTCAAAGG 3'

in order to isolate the gene encoding the neuraminidase (NA) glycoprotein of the equine influenza virus (Newmarket 2/93 strain) (Figure No. 3, SEQ ID No. 8) in the form of a PCR fragment of about 1430 bp. This fragment was purified and then digested with the restriction enzymes SalI and BamHI in order to isolate a SalI-BamHI fragment of 1418 bp containing the Newmarket 2/93 EIV NA gene. This fragment was then ligated with the plasmid pVR1012 (see Example 7), previously digested with SalI and BamHI, in order to give the plasmid pAB142 (6287 bp).

**Example 11: Construction of the plasmid pPB246
(Kentucky 1/94 EIV NA gene)**

An RT-PCR reaction according to the technique described in Example 6 was carried out with the genomic RNA of the equine influenza virus (EIV) (Kentucky 1/94 strain) (Daly et al. J. Gen. Virol. 1996, **77**, 661-671), prepared according to the technique described in Example 4, and with the following oligonucleotides: AB260 and AB262 (Example 10) in order to isolate the gene encoding the neuraminidase (NA) glycoprotein of the equine influenza virus (Kentucky 1/94 strain) (Figure No. 4, SEQ ID No. 9) in the form of a PCR fragment of about 1430 bp. This fragment was purified and then digested with the restriction enzymes SalI and BamHI in order to isolate a SalI-BamHI fragment of

1418 bp. containing the Kentucky 1/94 EIV NA gene. This fragment was then ligated with the plasmid pVR1012 (see Example 7), previously digested with SalI and BamHI, in order to give the plasmid pAB116 (6287 bp).

5

Example 12: Construction of the plasmid pPB245 (Newmarket 2/93 EIV NP gene)

An RT-PCR reaction according to the technique described in Example 6 was carried out with the genomic RNA of the equine influenza virus (EIV) (Newmarket 2/93 strain) (Daly et al. J. Gen. Virol. 1996, **77**, 661-671), prepared according to the technique described in Example 4, and with the following oligonucleotides:

CCL019 (25 mer) (SEQ ID No. 10)

5' TTGTCGACCATGGCGTCTCAAGGCAC 3'

CCL021 (28 mer) (SEQ ID No. 11)

5' TTTCTAGACTTTAAYTGTCAWACTCYTC 3'

in order to isolate the gene encoding the nucleoprotein (NP) of the equine influenza virus (Newmarket 2/93 strain) (Figure No. 5, SEQ ID No. 12) in the form of a PCR fragment of about 1520 bp. This fragment was purified and then digested with the restriction enzymes SalI and XbaI in order to isolate a SalI-XbaI fragment of 1506 bp containing the Newmarket 2/93 EIV NP gene. This fragment was then ligated with the plasmid pVR1012 (see Example 7), previously digested with SalI and XbaI, in order to give the plasmid pPB245 (6389 bp).

Example 13: Construction of the plasmid pPB246 (Kentucky 1/94 EIV NP gene)

An RT-PCR reaction according to the technique described in Example 6 was carried out with the genomic RNA of the equine influenza virus (EIV) (Kentucky 1/94 strain) (Daly et al. J. Gen. Virol. 1996, **77**, 661-671), prepared according to the technique described in Example 4, and with the following oligonucleotides:

CCL019 and CCL021 (Example 12) in order to isolate the gene encoding the nucleoprotein (NP) of the equine influenza virus (Kentucky 1/94 strain) (Figure No. 6, SEQ ID No. 13) in the form of a PCR fragment of about 5 1520 bp. This fragment was purified and then digested with the restriction enzymes SalI and XbaI in order to isolate a SalI-XbaI fragment of 1506 bp containing the Kentucky 1/94 EIV NP gene. This fragment was then 10 ligated with the plasmid pVR1012 (see Example 7), previously digested with SalI and XbaI, in order to give the plasmid pPB246 (6389 bp).

Example 14: Construction of the plasmid pPB156 (BHV-1 gB gene)

15 Its construction is described in WO-A-98 03200.

Example 15: Construction of the plasmid pAB087 (BHV-1 gD gene)

20 Its construction is described in WO-A-98 03200.

Example 16: Construction of the plasmid pAB090 (PRV gB gene)

Its construction is described in WO-A-98 03658.

Example 17: Construction of the plasmid pPB098 (PRV gD gene)

25 Its construction is described in WO-A-98 03658.

Example 18: Construction of the plasmid pAB044 (CDV HA gene)

30 Its construction is described in WO-A-98 03199.

Example 19: Construction of the plasmid pAB036 (CDV F gene)

35 Its construction is described in WO-A-98 03199.

Example 20: Construction of the plasmid pAB041 (G gene of the rabies virus)

Its construction is described in WO-A-98 03199.

Example 21: Application in horses

The vaccine tested is a mixture of 3 plasmids pCCL027 (Example 8), pAB142 (Example 10) and pPB245 (Example 12) containing and expressing, respectively, the HA, NA and NP genes of the EIV virus strain Newmarket 2/93. This mixture is combined or otherwise with the carbomer as according to the present invention.

The vaccination/challenge protocol was the following:

Group	Number of horses	Vaccine	Diluent	Dose
A	5	pCCL027 + pAB142 + pPB245	Saline solution	3 × 400 µg
B	5	pCCL027 + pAB142 + pPB245	Carbopol® 974P	3 × 400 µg
C	6	Commercial vaccine	---	1 commercial dose
D (controls)	5	---	---	---

Ponies (Welsh Mountain ponies) 7 to 8 months old, having no detectable antibodies against the H3N8 and H7N7 viruses, measured by the SRH (Single Radial Haemolysis) test, were used for this study. The ponies were randomly distributed into 4 groups.

The horses were vaccinated on D0 and D35 by the intramuscular route. The commercial vaccine used for group C was administered to the horses in a dose volume of 1 ml.

The ponies in groups A and B each received 2 doses of 5 ml on D0 and D35 by deep intramuscular injection into the neck.

On D56, three weeks after the second vaccination, each pony was infected by exposure to an aerosol obtained from about 1 ml of allantoic fluid containing a total of $10^{7.3}$ EID₅₀ of influenza A-equi-

2/Sussex/89 virus, using an ULTRA 2000 model spraying device (De Vilbiss, Somerset PA), as described by Mumford et al., Equine Vet. J. 1990, 22, 93-98.

After the challenge, the ponies were monitored in order to observe the clinical signs (establishment of a clinical score) and the temperature. Nasal swabs were prepared daily from day 0 of the challenge up to the 10th day after the challenge in order to measure the quantity of virus excreted by each challenged horse.

Finally, blood samples were collected throughout the protocol, before and after the challenge (days D0, D7, D14, D35, D49, D56, D63 and D70) in order to measure the kinetics of appearance and the level of SRH and IHA antibodies (haemagglutinating antibodies) for each vaccinated group.

Example 22: Application in pigs

The efficacy of a plasmid vaccine, combined or otherwise with the carbomer, was studied in pigs in a vaccination/challenge model for Aujeszky's disease. The vaccine tested is a mixture of 2 plasmids pAB090 (Example 16) and pPB098 (Example 17) comprising and expressing, respectively, the gB and gD genes of the PRV virus. The mixture was combined or otherwise with the carbomer as according to the present invention. The vaccination/challenge protocol used was the following:

Group	Number of pigs	Vaccine	Diluent	Dose
A	6	pPB098 + pAB090	Saline solution	2 x 200 µg
B	6	pPB098 + pAB090	Carbopol® 974P	2 x 200 µg
C	6	Geskypur	---	1 commercial dose
D (controls)	6	---	---	---

On D0, the pigs in groups A and B were vaccinated with the mixture of the plasmids pPB098 and pAB090 (200 µg of each plasmid), combined or otherwise with the carbomer, by the intramuscular route, in a volume of 2 ml.

The pigs in group C received an injection of the commercial vaccine Geskypur (subunit vaccine, MERIAL, Lyon, France) by the intramuscular route in a volume of 2 ml.

The pigs in group D were not vaccinated.

On D21, all the pigs were challenged with 2 ml (at the rate of 1 ml per nostril) of a viral suspension of Aujeszky's challenge strain, strain NIA3 (1/5 dilution of a stock solution titrating $10^{8.25}$ CCID₅₀/ml).

After the challenge, the pigs were monitored for mortality and the delta G7 criterion (individual weighings on D0 and D7 of the challenge). Nasal swabs are prepared daily from D0 to D14 of the challenge in order to measure the quantity of virus excreted after the challenge.

Finally, blood samples were collected on D0, D7, D14, D21 and D28 of the protocol in order to measure the kinetics and the Aujeszky's disease virus (PRV) seroneutralizing antibody level. The anti-PRV ELISA antibodies of isotypes IgG1 and IgG2 were also measured in the sera collected in the vaccinated and nonvaccinated pigs.

Example 23: Application in bovines

The efficacy of a plasmid vaccine, combined or otherwise with the carbomer, was studied in bovines in a vaccination/challenge model for infectious bovine rhinotracheitis (IBR) or BHV-1. The vaccine tested is a mixture of 2 plasmids pPB156 (Example 14) and pAB087 (Example 15) comprising and expressing, respectively, the gB and gD genes of the BHV-1 virus. The mixture was combined or otherwise with the carbomer as according to the present invention. The vaccination/challenge protocol used was the following:

Group	Number of calves	Vaccine	Diluent	Dose
A	6	pAB087 + pPB156	Saline solution	2 × 300 µg
B	6	pAB087 + pPB156	Carbopol® 974P	2 × 300 µg
C	6	Ibepur	---	1 commercial dose
D (controls)	6	---	---	---

On D0, the calves in groups A and B were vaccinated with the mixture of plasmid pAB087 and pPB156 (300 µg of each plasmid), combined or otherwise with the carbomer, by the intramuscular route, in a volume of 5 ml.

The calves in group C received an injection of the commercial vaccine Ibepur (subunit vaccine, Merial, Lyon, France) by the intramuscular route in a volume of 2 ml.

The calves in group D were not vaccinated.

On D21, groups A, B and C received a second injection of vaccine according to the same modalities as on D0.

On D35, the calves were challenged with 2.5 ml (at the rate of 1.25 ml per nostril) of a viral suspension of the BHV-1 challenge strain, strain B901 (1/5 dilution of a stock solution titrating $10^{8.15}$ CCID₅₀/ml).

After the challenge, the calves were monitored for clinical signs (establishment of a clinical score). Nasal swabs were prepared daily from D0 to D14 of the challenge in order to measure the quantity of virus excreted after the challenge. Finally, blood samples were collected on D0, D7, D14, D21, D35 and D49 of the protocol in order to measure the kinetics and the infectious bovine rhinotracheitis virus (BHV-1) seroneutralizing antibody level. The anti-BHV-1 ELISA

antibodies of isotypes IgG1 and IgG2 were also measured in these sera collected from vaccinated and non-vaccinated calves.

5 **Example 24: Application in dogs**

The efficacy of a plasmid vaccine, combined or otherwise with the carbomer, was studied in dogs in a vaccination/challenge model for Carré's disease (CDV). The vaccine tested is a mixture of the 2 plasmids
10 pAB044 (Example 18) and pAB036 (Example 19) comprising and expressing, respectively, the HA and F genes of the CDV virus. The vaccination/challenge protocol used was the following:

Group	Number of dogs	Vaccine	Diluent	Dose
A	6	pAB036 + pAB041	Saline solution	2 × 200 µg
B	6	pAB036 + pAB041	Carbopol® 974P	2 × 200 µg
C	6	EURICAN	---	1 commercial dose
D (controls)	6	---	---	---

15 The dogs in groups A, B and C were vaccinated on D0 and D28 by the intramuscular route. The dogs in groups A and B received, for each vaccination, an injection of plasmid solution containing 400 µg in
20 total (2 × 200 µg) in a volume of 1 ml.

The dogs in group C were vaccinated with the vaccine EURICAN (CHPPI2) which is a vaccine marketed by Merial, Lyon, France. One commercial dose contains about 10⁴ pfu of CDV Onderstepoort vaccinal strain as
25 well as the valencies for vaccination against Rubarth's hepatitis, canine parvovirus and type 2 parainfluenza virus.

The challenge was performed on D49 by intracerebral administration of 1/10 dilution of the

CDV "Synder-Hill" challenge strain (batch prepared and provided by USDA, USA).

5 Clinical monitoring was performed daily for 21 days after the challenge in order to note the signs (general state, oculonasal symptoms, digestive symptoms, nervous symptoms, temperature) (notation according to the rules of the European Pharmacopoeia). The challenged dogs were also weighed once per week.

10 Protection was assessed on the following criteria:

- mean clinical scores for each group
- CDV viraemia level after challenge (measurement of the viral load in the lymphocytes on D56, D61, D66, D70)
- 15 - blood count on blood samples collected on D48, D54, D56, D59, D63 and D70 (that is to say days - 1, 5, 7, 10, 14 and 21 after challenge)
- weight variation after challenge.

20 For all these criteria, the mean levels for each group were also compared with each other and with the mean level for the control group.

Blood samples were collected on days D0, D14, D28, D56 and D70 for titration of the ELISA antibodies and Carré's disease virus seroneutralizing antibodies.

Further Statement of the Invention

This invention provides for a DNA vaccine comprising a naked DNA incorporating and expressing *in vivo* a polynucleotide encoding an antigenic polypeptide, preferably a gene of a pathogenic agent, and at least one adjuvant compound chosen from the polymers of acrylic or methacrylic acid and the copolymers of maleic anhydride and alkenyl derivative.

In one embodiment of the invention, the vaccine is characterized in that it comprises, as adjuvant compound, a polymer of acrylic or methacrylic acid cross-linked with a polyalkenyl ether of a sugar or polyalcohol.

In another embodiment of the invention, the vaccine is characterized in that the polymer is cross-linked with an allyl sucrose or with allylpentaerythritol.

In another embodiment of the invention, the vaccine is characterized in that it comprises, as adjuvant compound, a copolymer of maleic anhydride and ethylene cross-linked, for example, with divinyl ether.

In another embodiment of the invention, the vaccine is characterized in that the adjuvant compound is present in the vaccine in an amount of 0.01% to 2% w/v.

In another embodiment of the invention, the vaccine is characterized in that the concentration is 0.06 to 1% w/v, preferably 0.1 to 0.6% w/v.

In another embodiment of the invention, the vaccine is characterized in that the naked DNA is a plasmid.

In another embodiment of the invention, the adjuvant compound is a carbomer or an EMA[®].

In yet another embodiment of the invention, the vaccine is characterized in that it comprises a naked DNA incorporating and expressing a sequence of a pig, horse, dog, bovine, cat or avian pathogen.

In a further embodiment of the invention, the vaccine is characterized in that it comprises at least one sequence of a pathogen chosen from:

- Aujeszky's disease virus
- porcine influenza virus
- porcine reproductive and respiratory syndrome virus
- porcine parvovirus

- hog cholera virus
- *Actinobacillus pleuropneumoniae*
- equine rhinopneumonia virus
- equine influenza virus
- Cl. Tetani
- Eastern encephalitis virus
- Western encephalitis virus
- Venezuelan encephalitis virus
- B. burgdorferi
- Canine Distemper virus
- canine parvovirus
- canine coronavirus
- canine herpesvirus
- rabies virus
- bovine herpesvirus types 1 or 5
- bovine respiratory syncytial virus
- bovine pestivirus
- bovine parainfluenza virus type 3
- feline leukaemia virus
- feline panleukopaemia virus
- feline infectious peritonitis virus
- feline herpesvirus
- feline calicivirus
- feline immunodeficiency virus
- Marek's disease virus
- Newcastle disease virus
- Gumboro disease virus
- avian infectious bronchitis virus
- avian infectious anaemia virus
- infectious laryngotracheitis virus
- avian leukosis virus

- avian pneumovirus
- avian influenza.

The present invention also provides for a method of enhancing the DNA vaccine incorporating and expressing *in vivo* a heterologous polynucleotide by adding an adjuvant chosen from the polymers of acrylic or methacrylic acid and the copolymers of maleic anhydride and alkenyl derivative, as defined in the specification.

Although the foregoing invention has been described in some detail by way of illustration and example for purposes of clarity and understanding, it will be apparent to those skilled in the art that certain changes and modifications can be practiced. Therefore, the description and examples should not be construed as limiting the scope of the invention, which is delineated by the appended claims.

400 401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500

What is claimed is:

1. A DNA vaccine comprising a naked DNA incorporating and expressing *in vivo* a polynucleotide encoding an antigenic polypeptide and at least one adjuvant compound chosen from the polymers of acrylic or methacrylic acid and the copolymers of maleic anhydride and alkenyl derivative.
2. The vaccine according to Claim 1, characterized in that it comprises, as adjuvant compound, a polymer of acrylic or methacrylic acid cross-linked with a polyalkenyl ether of a sugar or polyalcohol.
3. The vaccine according to Claim 2, characterized in that the polymer is cross-linked with an allyl sucrose or with allylpentaerythritol.
4. The vaccine according to Claim 1, characterized in that it comprises, as adjuvant compound, a copolymer of maleic anhydride and cross-linked ethylene.
5. The vaccine according to Claim 1, characterized in that the adjuvant compound is present in the vaccine in an amount of 0.01% to 2% w/v.
6. The vaccine according to Claim 5, characterized in that the adjuvant compound has a concentration of 0.06 to 1% w/v.
7. The vaccine according to Claim 1, characterized in that the naked DNA is a plasmid.
8. The vaccine according to Claim 1, characterized in that it comprises a naked DNA incorporating and expressing a pig, horse, dog, bovine, cat or avian pathogen.
9. The vaccine according to Claim 8, characterized in that it comprises at least one pathogen chosen from:
 - Aujeszky's disease virus
 - porcine influenza virus
 - porcine reproductive and respiratory syndrome virus
 - porcine parvovirus
 - hog cholera virus
 - *Actinobacillus pleuropneumoniae*
 - equine rhinopneumonia virus
 - equine influenza virus

- Cl. Tetani
- Eastern encephalitis virus
- Western encephalitis virus
- Venezuelan encephalitis virus
- B. burgdorferi
- Canine Distemper virus
- canine parvovirus
- canine coronavirus
- canine herpesvirus
- rabies virus
- bovine herpesvirus types 1 or 5
- bovine respiratory syncytial virus
- bovine pestivirus
- bovine parainfluenza virus type 3
- feline leukaemia virus
- feline panleukopaemia virus
- feline infectious peritonitis virus
- feline herpesvirus
- feline calicivirus
- feline immunodeficiency virus
- Marek's disease virus
- Newcastle disease virus
- Gumboro disease virus
- avian infectious bronchitis virus
- avian infectious anaemia virus
- infectious laryngotracheitis virus
- avian leukosis virus
- avian pneumovirus
- avian influenza.

10. A method of enhancing a DNA vaccine which incorporates and expresses *in*

in vivo a heterologous polynucleotide by adding an adjuvant chosen from the polymers of acrylic or methacrylic acid and the copolymers of maleic anhydride and alkenyl derivative, as defined in Claim 1.

11. The DNA vaccine of claim 1, wherein the polynucleotide is a gene of a pathogenic agent.
12. The vaccine of claim 4, wherein the ethylene is cross-linked with divinyl ether.
13. The vaccine of claim 6, wherein the adjuvant compound has a concentration of 0.06 to 1% w/v.
14. The vaccine of claim 1, wherein the adjuvant compound is a carbomer or an EMA[®].

ABSTRACT OF THE DISCLOSURE

This invention provides a DNA vaccine which comprises a naked DNA incorporating and expressing in vivo a nucleotide sequence encoding an antigenic polypeptide, preferably a gene of a pathogenic agent, and at least one adjuvant compound chosen from the polymers of acrylic or methacrylic acid and copolymers of maleic anhydride and alkenyl derivative. The adjuvant compound is preferably a carbomer or an EMA[®]. This invention also provides a method of enhancing a DNA vaccine and/or the immunogenicity of a DNA vaccine.

10
20
30
40
50
60
70
80
90
100
110
120
130
140
150
160
170
180
190
200
210
220
230
240
250
260
270
280
290
300
310
320
330
340
350
360
370
380
390
400
410
420
430
440
450
460
470
480
490
500
510
520
530
540
550
560
570
580
590
600
610
620
630
640
650
660
670
680
690
700
710
720
730
740
750
760
770
780
790
800
810
820
830
840
850
860
870
880
890
900
910
920
930
940
950
960
970
980
990
1000

ATGAAGACAACCAATTAATTTTGATACTACTGACCCATTGGGTCTACAGTCAAAAACCAACCAAGTGGCAAC
AACACAGCCACATTAATGTCTGGGACACCATGCGTAGCAATGGAACATTGGTAAAAACAATACTGAT
GACCAAATTGAGGTGACAAATGCTACTGAATTAGTCCAGAGCAATTTCAATAGGGAAAAATATGCAACAAC
TCATATAGGGTTCTAGATGGAAGAAATGCAATTAATAGATGCAATGCTAGGAGACCCCATTTGTGAT
GATTTTCAGTATGAGAATTGGGACCTCTTCATAGAAAGAAGCAGCGCTTTCAGCAATTGCTACCCATAT
GACATCCCTGACTATGCATCGCTCCGTTCCATTTGTAGCATCCTCAGGAACATTAGAATTCACAGCAGAG
GGCTTCACATGGACAGGTGTCACTCAAAACGGAAGAAGTGGAGCCTGCAAAAGGGGATCAGCCGATAGT
TTCTTTAGCCGACTGAATTGGCTAACAAAATCTGGAATTTCTTACCCCATATTGAATGTGACAATGCCT
AACAAATAAAAAATTTGGATAAACTATACATCTGGGGGATTCAATCACCCGAGCTCAAAACAAAGAGCAGACA
AAATTATATATCCAAGAATCAGGACGAGTAACAGTCTCAACAGAAAGAAGTCAACAAACAGTATTCCTT
AACATCGGATCTAGGCCCTGGGTCAAGGGTCAATCAGGCAGGATAAGCATATACTGGACCATTTGTA AAA
CCTGGAGATATTTCTAATGATAAACAGTAATGGCACTTAGTTGCACCGCGGGGATATTTTAAATTGAGA
ACAGGGAAAAAGCTCTGTAATGAGATCAGATGCACTCATAGACACTTTGTGTGTCTGAATGTATTACACCA
AATCGAAGCATCCCCAACGACAAACCATTTCAAAATGTGAACAAAATTACATATGGAAAAATGCCCCAG
TATATCAGGCAAAACACTTTTAAAGCTGGCCACTGGGATGAGCAATGTATCCAGAAAAGCAAATCAGAGGA
ATCTTTGGAGCAATAGCGGGATTCATAGAAAACCGCTCGCAAGCAATCGTTGATCGGTGGTATGGATTTC
CGATATCAAAAACCTGGGAAGGAACAGGACAAGCTGCAGATCTAAAGAGCACTCAAGCAGCCATAGACCAG
ATCAATGGAAAAATTAAACAGAGTCAATGAAAGGACCAATGAGAAATTCATCAAAATAGAAAAGGAATTC
TCAGAAGTAGAAGGGAGAATCCAGGATTTGGAGAAGTATGTAGAAGACACCAAAATAGACCTATTTGGTCC
TACAATGCAGAATTGCTGGTGGCTCTAGAAAATCAACATACAATTGACTTTAACAGATGCAGAAATGAAT
AAATTAATTCGAGAAGACTAGGCGCCAGTTAAGAGAAAACGCGGAAGACATGGGAGGTGGATGTTTTCAAG
ATTACCACAAATGTGATAATGCATGCATTTGGATCAATAAGAAATGGGACATATGACCAATTACATATAC
AGAGATGAAGCATTTAAACAACCGATTTCAAATCAAAAGTGTGAGTTGAAATCAGGCTACAAAGATTGG
ATACTGTGGATTTTCAATCGCCATATCATGCTTCTTAATTTGCGTTGTTCTATTGGGTTTCATTAATGTGG
GCTTCCCAAAAAGGCAACATCAGGTGCAACATTTGCATTTGA

SEQ ID NO:3

FIGURE 1

ATGAAGACAACCATTTATTTTGATACTACTGACCCATTGGGTCTACAGTCAAAACCCAACCAAGTGGCAA
CAACACAGCCACATTTATGTCTGGGACCCATCCAGTAGCAAATGGAACATTTGGTAAAAACAATACTG
ATGACCAAATTCAGGTGACAAATGCTACTGAATTAGTTTCAGAGCATTTTCAATAGGGAAAATATGCAAC
AACTCATATAGAGTTCTAGATGGAAGAAATTCACATTTAATAGATGCAATGCTAGGAGACCCCCACTG
TGATGTCTTTTCAGTATGAGAAATGGGACCTCTTCATAGAAAGAAGCAGCGCTTTTCAGCAATTGCTACC
CATATGACATCCCTGACTATGCAATCGCTCCGGTCCATTTGTAGCATCCTCAGGAACATTTGGAATTCACA
GCAGAGGGATTCACATGACAGGTGTCACTCAAAACCGGAAGAAGTGGAGCCTGCAAAAGGGGATCAGC
CGATAGTTTCTTTAGCCGACTGAATTTGGCTAAACAAAATCTGGAAACTCTTACCCACATTGAATGTGA
CAATGCCTAACAATAAAAAATTCGACAAACTATACATCTGGGGGATTCATCACCAGCTCAAACCA
CAGCAAAACAGAAATTTGTACATCCAAAGATCAGGACGAGTAAACAGTCTCAACAAAAAGAAGTCAACAAAC
GATAATCCCTAATATCGGATCTAGACCGTGGGTTCAGGGTCAATCAGGCAGGATAAGCATATACTGGA
CCATTGTAAAACCTGGAGATATCCTAATGATAAAACAGTAAATGGCAACTTTAGTTGCACCGCGGGGATAT
TTTAAATTGAAAACAGGGAAAAAGCTCTGTAAATGAGATCAGATGCACCCATAGACATTTGTGTGTCTGA
ATGTAATACACCAAATGGAAGCATCCCCAACGACAAAACCATTTTCAAATGTGAACAAAGTACATATG
GAAAATGCCCCAAGTATATCAGGCAAAACACTTTTAAAGCTGGCCACTGGGATGAGGAATGTACCAGAA
AAGCAAATCAGAGGAATCTTTGGAGCAATAGCGGGATTTCATAGAAAACGGCTGGGAAGGAATGGTTGA
TGGGTGGTATGGATTCCGATATCAAAACTCGGAAGGAACAGGACAAGCTGCAGATCTAAAGAGCACTC
AAGCAGCCATCGACCAGATTAATGGAAAATTTAAACAGAGTGATTGAAAGGACCAATGAGAAAATTCAT
CAAATAGAGAAGGAATTTCTCAGAAGTAGAAGGGAGAAATCCAGGACTTGGAGAAGTATGTAGAAGACAC
CAAAATAGACCTATGGTCTTACAATGCAGAATTGCTGGTGGCTCTAGAAAATCAACATACAATTGACT
TAACAGATGCAGAAATGAATAAATTATTCCAGAAGACTAGACGCCAGTTAAGAGAAAACGCCGAAGAC
ATGGGAGGTGGATGTTTCAAGATTTACCACAAAATGTGATAATGCATGCATTGGATCAAZAAGAAATGG
GACATATGACCATTACATATACAGAGATGAAGCATTAACAACCGATTTCAAATCAAAGGTGTTGAGT
TGAAATCAGGCTACAAAGATTGGATACTGTGGATTTTCATTGCGCATATCATGCTTCTTAATTTGCGTT
GTTCTATTGGGTTTCATTATGTGGGCTTGCCAAAAAGGCAACATCAGATGCAACATTTGCATTTGA

SEQ ID NO:5

FIGURE 2

ATGAACCCAAATCAAAAGATAATAACAATTGGATCTGCATCATTAGGAGTACTAATCCTCAAGGTCATT
CTCCATGTAGTCAGCATTATAGTAACAGTACTGGTTCTCAATAACAATGGAACAGGTCTGAACTGCAAC
GGGACGATCATAAGAGAGTACAATGAAACAGTAAGAGTAGAAAGAATCACCCAATGGTATAATACTAGT
ACAATTGAGTACATAGAAAGATCTTCAAATGAATACTACATGAACAACACCGAACCACCTTTGTGAGGCC
CAGGGCTTTGCACCATTTTCCAAAGACAATGGAATACGAATGGGTCGAGAGGCCCATGTTTTTGTAAATA
AGAGAACCCTTTTGATCATGTTGCCCCCTCAGAATGTAGAACCCTTTTTCTCACAAGGGCTCACTTACTC
AATGACAAACATTCTAACGGCACACTGAAGGACCGAAGTCCATATAGGACCTTTGATGAGTGTCAAAATA
GGGCAATCACCTAATGTGTATCAAGCTAGGTTTGAATCGGTGGCATGGTCAGCAACAGCATGCCATGAT
GGAAAAAATGGATGACAGTTGGAGTCACAGGGCCCGACAATCAAGCAGTTGCAGTAGTGAACATATGGA
GGTGTTCGGTTGATATTAATTAATTCATGGGCATGGGATATCTTAAGAACCCAAGAATCGTCATGCACC
TGCATTAAAGGAGACTGTATTTGGGTGATGACTGATGGACCGGCAAACAGGCAAGCTAAATATAGGATA
TTCAAAGCAAAAAATGGAAGAATAATTGGGCAGACTGATATAAGTTTCAATGGGGGACACATAGAGGAG
TGTTCCTTGTACCCCCAATGAAGGGAAGGTGGAATGCATATGCAGGGACAACCTGGACTGGAACAAATAGA
CCAATTCTGGTAATATCTTCTGATCTATCGTACACAGTCGGATATTTGTGTGCTGGCATTCCTCACTGAC
ACTCCTAGGGGACAGGATAGTCAATTCACAGGCTCATGTACAAGCCCTTTGGGAAATAAAGGATACGGT
GTAAAAGGTTTTCGGCTTTTCGACAAGGAACTGACGTATGGGCCGGAAGGACAATTAGTAGGACTTCAAGA
TCAGGATTGGAATAATAAAGATCAGGAATGGTTGGACACAGAATAGTAAAGATCAAATCAGAAGGCAA
GTGATTATTGATAACCTAAATTTGGTCAGGATATAGCGGTTCTTTACATTGCCGGTTGAACTAACAAAA
AAGGGATGTTTAGTCCCCCTGTTTCTGGGTTGAAATGAATTAGAGGTAAACCTGAAGAAACAACAATATGG
ACCTCTAGCAGCTCCATTGTGATGTGTGGAGTAGATCATAAAGTTGCCAGTTGGTCATGGCAGCATGGA
GCTATTCTTCCCTTTGACATCGATAAGATGTAA

SEQ ID NO:8

FIGURE 3

4 / 6

ATGAATCCAAATCAAAAGATAATAACAATTGGATCTGCATCATTTGGGAATATTAATCATCAACGTCATT
CTCCATGTAGTCAGCATTATAGTAACAGTACTGGTCCTCAATAACAATGGAACAGGTCTGAACTGCAAA
GGGACGATCATAAGAGAGTACAATGAAACAATAAGAGTAGAAAGAATTACTCAATGGTATAATACCAGT
ACAATTGAGTACATAGAGAGACCTTCAAATGAATACTACATGAACAACACCGAACCACCTTTGTGAGGCC
CAAGGCTTTGCACCATTTTCCAAAGATAATGGGAATACGAATTGGGTCGAGAGGCCATGTTTTTTGTAATA
AGAGAACCTTTTGTCTCATGTTCCGCCCTCAGAATGTAGAACCTTTTTTCTCACACAGGGCTCATTTACTC
AATGACAAACATTTCTAACGGCACAGTGAAGGACCGAAGTCCATATAGGACTTTGATGAGTGTCAAAATA
GGGCAATCACCTAATGTGTATCAAGCTAGGTTTGAATCGGTGGCATGGTCAGCAACAGCATGGGATGAT
GGAAAAAATGGATGACAGTTGGAGTCAACAGGGCCCGATAATCAAGCAATTGCAGTAGTGAACCTATGGA
GGTGTTCGGGTTGATATTATTAATTCATGGGCAGGGGATATCTTAAGAACCCAAGAATCGTTCATGCACC
TGCATTAAAGGAGACTGTTATTTGGGTGATGACTGATGGACCGGCCAAATAGGCAAGCTAAATATAGGATA
TTCAAAGCAAAAGATGGAAGAATAATTGGGCAGACTGATATAAGTTTCAATGGGGACACATAGAGGAG
TGTTCCTTGTACCCCAATGAAGGGGAAGGTGGAATGCATATGCAGGGACAACTGGACTGGAACAAATAGA
CCAATTCTGGTAATATCTTCTGATCTATCGTACACAGTCCGATATTTGTGTGCTGGCATTTCCCACTGAC
ACTCCTAGGGGAGAGGATAGTCAATTCACAGGCTCATGTACAAGTCCCTTTGGGAAATAAAGGATACGGT
GTAAAGGTTTCGGGTTTCGACAAGGAAC TGACGTATGGGCCGGAAGGACAATTAGTAGGACTTCAAGA
TCAGGATTCGAAATAATAAAAAATCAGGAATGGTTGGACACAGAACAGTAAAGACCAAATCAGAAGGCCAA
GTGATTATTGATAACCCAAATTTGGTCAGGATATAGCGGTTCTTTACATTTGCCGGTTGAACCTAACAAAA
AAGGGATGTTTAGTCCCTGTTCCTGGGTTGAAATGATTAGAGGTAAACCTGAAGAAACAACAATATGG
ACCTCTAGCAGCTCCATTTGTGATGCTGTGGAGTAGATCATAAAATTTCCAGTTGGTTCATGGCAGCATGGA
GCTATTCTTCCCTTTGACATAGACAAGATGTAG

SEQ ID NO:9

FIGURE 4

ATGGCGTCTCAAGGCACCAAACGATCTTATGAGCAGATGGAACTGATGGGGAACGCCAGAATGC
AACTGAAATCAGAGCATCTGTGCGGAAGGATGGTGGGAGGAATCGGCCGGTTTTTATGTTTCAGATGT
GTACTGAGCTTAAATTAAACGACCATGAAGGGCGGCTGATTGAGAACAGCATAACAATAGAAAGG
ATGGTACTTTTCGGCATTCGACGAAAGAAGAAACAAGTACCTCGAGGAGCATCCAGTGCTGGGAA
AGACCCTAAGAAAACGGGAGGCCCGATATACAGAAGGAAAGATGGGAAATGGATAAGAGAACTCA
TCCTCCATGATAAAGAGGAAATCATGAGGGTCTGGCGTCAGGCCAACAAATGGTGAAGATGCTACT
GCTGGTCTTTACCCATATGATGATCTGGCACTCCAATCTCAATGACACCACATACCAAAGAACAAG
GGCTCTTGTTCGGACTGGGATGGATCCCAGAAATGTGCTCTCTGATGCAAGGATCAACCCCTCCAC
GGAGATCTGGAGCTGCCGGTGTGTCAGTAAAAGGTGTTGGAACAATGATAATGGAATCATCAGG
ATGATCAAACCGCGGGATAAATGATCGAAATTTCTGGAGAGGTGAAAATGGTCAAGAACCAGAAT
TGCTTATGAAAGATGTGCAATATCTCTCAAAGGGAAATTTCAAACAGCAGCACAACGGGCTAEGA
TGGACCAAGTGAGGGAGGGCCGCAATCTGGAAATGCTGAGATTGAGGATCTCATTTTCTTGGCA
CGATCAGCACTCATTTTGAGAGGATCAGTAGCCATAAATCATGCCTACCTGCCTGTGTTTTATGG
CCTTGCAGTAACCACTGGGTATGACTTTGAGAAGGAAGGATACTCTCTGGTTGGGATTGATCCTT
TCAAACCTACTCCAGAACAGCCAAATTTTCAGTCTAATCAGACCGAAAGAAAATCCAGCACACAAG
AGCCAGTTGGTGTGGATGGCATGCCATTTCTGCAGCATTTGAGGACCTGAGAGTTTTGAATTTTCAT
TAGAGGAACAAAAGTAATCCCAAGAGGACAGTTGGCAACCAGAGGAGTGCAGATTGCTTCAAATG
AAAACATGGAGACAATAGATTCTTAGCACACTCGAACTGAGAAGCAGATATTGGGCAATAAGGACC
AGAAGTGGAGGAAACACCACTCAACAGAGAGCATCTGCAGGACAGATAAGTGTGCAACCTACTTT
CTCAGTGCAGAGAAATCTTCCCTTTGAAAGAGCAACCATTAATGGCTGCATTTACTGGGAACACTG
AGCGGAGGACTTCCGACATGAGAACGGAAATCATAAGGATGATGGAAAATGCCAAATCAGAAGAT
GTGTCTTTCCAGGGGCGGGAGTCTTCGAGCTCTCGGACGAAAAGGCAACGAACCCGATCGTGCC
TTCCTTTGACATGAGCAATGAAGGTCCTATTTCTTCGGAGACAATGCTGAGGAGTATGACAGTT
AA

SEQ ID NO:12

FIGURE 5

ATGGCGTCTCAAGGCACCAAACGATCTTATGAGCAGATGGAACTGATGGGGAACGCCAGAAATGCAACT
GAAATCAGAGCATCTGTCCGAAGGATGGTGGGAGGAATCGGCCGGTTTTATGTTTCAGATGTGTACTGAG
CTTAAACTAAACGACCATGAAGGGCGGCTGATTTCAGAACAGCATAACAAATAGAAAGGATGGTACTCTCG
GCATTTCGACGAAAGAAGAAACAAGTATCTCGAGGAGCATCCCACTGCTGGGAAAGACCCCTAAGAAAACG
GGAGGCCCCGATATACAGAAGGAAAGATGGGAAATGGATGAGAGAACTCATCCTCCATGATAAAGAAGAA
ATCATGAGGATCTGGCGTCAGGCCAACAAATGGTGAAGACGCTACTGCTGGTCTTACTCATATGATGATC
TGGCACTCCAATCTCAATGACACCACATACCAAAGAACAAGGGCTCTTGTTCGGACTGGGATGATCCC
AGAATGTGCTCTCTGATGCAAGGCTCAACCCCTCCACGGAGATCTGGAGCCGCTGGTGTCTGCAGTAAAA
GGTGTGGAAACAATGGTAATGGAATCATCAGAATGATCAAACGCGGGATAAATGATCGGAATTTCTGG
AGAGGTGAAAATGGTGAAGAACCAGAATTGCTTATGAAAGAATGTGCAATATCCTCAAAGGGAAATTT
CAGACAGCAGCACAACGGGCTATGATGGACCAGGTGAGGGAAGGCCGCAATCCTGGAAACGCTGAGATT
GAGGATCTCATTTTTCTTGGCAGCATCAGCACTTATTTTGAGAGGATCAGTAGCCCATAAATCATGCTTA
CCTGCCTGTGTTTTATGGCCTTGCAGTAACCAGTGGGTATGACTTTTGAGAAGGAAGGATACTCTCTGGTT
GGAATTGATCCTTTCAAACCTACTCCAGAACAGCCAAATTTTCAGTCTAATCAGACCGAAAGAAAACCCA
GCACACAAGAGCCAGTTGGTGTGGATGGCATGCCATTTCTGCAGCATTTGAGGACCTGAGAGTTTTGAAT
TTCATTAGAGGAACCAAAGTAATCCCAAGAGGACAGTTAGCAACCAGAGGAGTGCAAATTCCTTCAAAT
GAAAACATGGAGACAATAGATTCTAGCACACTCGAACTGAGAAGCAAATATTGGGCAATAAGGACCAGA
AGTGGAGGAAACACCAGTCAACAGAGAGCATCTGCAGGACAGATAAGTGTGCAACCTACTTTCTCAGTG
CAGAGAAATCTTCCCTTTGAAAGAGCAACCATTATGGCTGCATTCACTGGGAACACTGAAGGGAGGACT
TCCGACATGAGAACGGAAATCATAAGGATGATGGAAAATGCCAAATCAGAAGATGTGTCTTCCAGGGG
CGGGGAGTCTTCGAGCTCTCGGACGAAAAGGCAACGAACCCGATCGTGCTTCTCTTGACATGAGCAAT
GAAGGGTCTTATTTCTTCGGAGACAATGCTGAGGAGTTTGACAATTAA

SEQ ID NO:13

FIGURE 6

Patent 3801109

DECLARATION FOR PATENT APPLICATION (JOINT OR SOLE)
(Under 37 CFR § 1.63; with Power of Attorney)
FROMMER LAWRENCE & HAUG LLP. File No. 454313-

As a below named inventor, I hereby declare that:
My residence, post office address and citizenship are as stated below next to my name,
I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention ENTITLED: "Adjuvant--containing DNA vaccines"

the specification of which

X is attached hereto.

X was filed on March 22, 1999 as International Application Serial No. PCT/FR99/00666
with amendment(s) through _____ (if applicable, give dates).

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose to the United States Patent and Trademark Office all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, Sec. 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, § 119 of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:
Prior Foreign Application(s) [list additional applications on separate page]: Priority Claimed:

Number:	Country:	Filed (Day/Month/Year):	Yes	No
98 04 409	FRANCE	3 April 1998	X	

I hereby claim the benefit under Title 35, United States Code, § 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code § 112, I acknowledge the duty to disclose to the United States Patent and Trademark Office all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, Sec. 1.56, which became available between the filing date of the prior application and the national or PCT international filing date of this application:
Prior U.S. Application(s) [list additional applications on separate page]:
App'n. Ser. No.: Filed (Day/Month/Year): Status:(patented, pending, abandoned):

I hereby appoint William S. Frommer, Registration No. 25,506, and FROMMER LAWRENCE & HAUG LLP, or their duly appointed associate, my attorneys, with full power of substitution and revocation, to prosecute this application, to make alterations and amendments therein, to file continuation and divisional applications thereof, to receive the Patent, and to transact all business in the Patent and Trademark Office and in the Courts in connection therewith, and specify that all communications about the application are to be directed to the following correspondence address:

William S. Frommer, Esq.
c/o FROMMER LAWRENCE & HAUG LLP
745 Fifth Avenue
New York, New York 10151

Direct all telephone calls
to: (212)588-0800 to the
attention of:

William S. Frommer

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

INVENTOR(S): AUDONNET Jean-Christophe Francis

Signature: _____ Date: September 15, 2000

Full name of sole or first inventor:

Residence: 119, rue de Créqui - 69006 LYON France

Citizenship: French

Signature: MINKE Jules Maarten

Date:

Full name of 2nd joint inventor (if any): September 15, 2000

Residence: 23, avenue Molière 69960 CORBAS France

Citizenship: French

[Similarly list additional inventors on separate page]

Post Office Address(es) of inventor(s):

[if different from residence] Same

Note: In order to qualify for reduced fees available to Small Entities, each inventor and any other individual or entity having rights to the invention must also sign an appropriate separate "Verified Statement (Declaration) Claiming [or Supporting a Claim by Another for] Small Entity Status" form [e.g. for Independent Inventor, Small Business Concern, Nonprofit Organization, individual Non-Inventor].

PATENT
454313-3160

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants : AUDONNET Jean-Christophe Francis and MINKE Jules Maarten
U.S. Serial No. : Not Yet Known
Filing Date : Herewith
For : ADJUVANT-CONTAINING DNA VACCINES
Examiner : Not Yet Known
Art Unit : Not Yet Known

745 Fifth Avenue
New York, NY 10151

EXPRESS MAIL

Mailing Label Number: EL 375 195 811 US

Date of Deposit: October 2, 2000

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" Service under 37 CFR 1.10 on the date indicated above and is addressed to: Assistant Commissioner for Patents, Washington, D.C. 20231.

Kenneth Patterson
(Typed or printed name of person mailing paper or fee)

Kenneth Patterson
(Signature of person mailing paper or fee)

**STATEMENT TO SUPPORT FILING AND SUBMISSION OF
SEQUENCE LISTINGS IN ACCORDANCE WITH 37 C.F.R. §§ 1.821-1.825**

Assistant Commissioner for Patents
Washington, D.C. 20231


Dear Sir:

Enclosed are a paper copy and a computer readable copy of sequence listings. The undersigned hereby states that the content of the paper copy of the Sequence Listing for the above-referenced application filed, and the computer readable copy, submitted in accordance with 37 C.F.R. §§ 1.821(c) and (e), are the same.

In the unlikely event that the Patent Office determines that an extension and/or other relief is required as a result of this statement, applicants petition for any required relief including extensions of time and authorize the Assistant Commission to charge the cost of such petitions and/or other fees due to our **Deposit Account No.: 50-0320**. However, the Assistant Commissioner is not authorized to charge the cost of the issue fee to the Deposit Account.

Respectfully submitted,

FROMMER LAWRENCE & HAUG LLP
Attorneys for Applicants

By 

Thomas J. Kowalski
Reg. No. 32,147
Tel. (212) 588-0800
Fax (212) 588-0500

TJK:cd
Encs.CAD0850

SCANNED, # _____

SEQUENCE LISTING

<110> AUDONNET et al.

<120> ADUVANT CONTAINING DNA VACCINES

<130> 454313-3160

<140>

<141>

<150> PCT/FR99/00666

<151> 1999-03-22

<150> 98 04409 FRANCE

<151> 1998-04-03

<160> 13

<170> PatentIn Ver. 2.1

<210> 1

<211> 40

<212> DNA

<400> 1

ttgtcgactc aatcatgaag acaaccatta ttttgatact 40

<210> 2

<211> 34

<212> DNA

<400> 2

ttggatcctt actcaaatgc aaatgttgca cctg 34

<210> 3

<211> 1698

<212> DNA

<400> 3

atgaagacaa ccattatttt gatactactg acccattggg tctacagtca aaaccaacc 60
 agtggcaaca acacagccac attatgtctg ggacaccatg cagtagcaaa tggaacattg 120
 gtaaaaacaa taactgatga ccaaattgag gtgacaaatg ctactgaatt agtccagagc 180
 atttcaatag ggaaaatatg caacaactca tatagggttc tagatggaag aaattgcaca 240
 ttaatagatg caatgctagg agacccccat tgtgatgatt ttcagtatga gaattgggac 300
 ctcttcatag aaagaagcag cgctttcagc aattgctacc catatgacat ccctgactat 360

gcatcgctcc ggtccattgt agcatcctca ggaacattag aattcacagc agagggggttc 420
 acatggacag gtgtcactca aaacggaaga agtggagcct gcaaaagggg atcagccgat 480
 agttttcttta gccgactgaa ttggctaaca aaatctggaa attcttacct catattgaat 540
 gtgacaatgc ctaacaataa aaatttcgat aaactataca tctgggggat tcatcacccg 600
 agctcaaaca aagagcagac aaaattatat atccaagaat caggacgagt aacagtctca 660
 acagaaagaa gtcaacaaac agtaatccct aacatcggat ctaggccgtg ggtcaggggt 720
 caatcaggca ggataagcat atactggacc attgtaaaac ctggagatat tctaatagata 780
 aacagtaatg gcaacttagt tgcaccgcgg ggatatttta aattgagaac agggaaaagc 840
 tctgtaatga gatcagatgc actcatagac acttgtgtgt ctgaatgtat tacaccaaat 900
 ggaagcatcc ccaacgacaa accatttcaa aatgtgaaca aaattacata tggaaaatgc 960
 cccaagtata tcaggcaaaa cactttaaaag ctggccactg ggatgaggaa tgtaccagaa 1020
 aagcaaatca gaggaatctt tggagcaata gcgggattca tagaaaacgg ctgggaagga 1080
 atggttgatg ggtggtatgg attccgatat caaaactcgg aaggaacagg acaagctgca 1140
 gatctaaaga gcaactcaagc agccatagac cagatcaatg gaaaattaaa cagagtgatt 1200
 gaaaggacca atgagaaatt ccatcaaata gaaaaggaat tctcagaagt agaagggaga 1260
 atccaggatt tggagaagta tgtagaagac accaaaatag acctatggtc ctacaatgca 1320
 gaattgctgg tggctctaga aaatcaacat acaattgact taacagatgc agaaatgaat 1380
 aaattattcg agaagactag gcgccagtta agagaaaacg cggaagacat gggaggtgga 1440
 tgtttcaaga ttaccacaa atgtgataat gcatgcattg gatcaataag aaatgggaca 1500
 tatgaccatt acatatacag agatgaagca ttaaacaacc gatttcaaat caaaagtgtt 1560
 gagttgaaat caggctacaa agattggata ctgtggattt cattcgccat atcatgcttc 1620
 ttaatttgcg ttgttctatt gggtttcatt atgtgggctt gccaaaaagg caacatcagg 1680
 tgcaacattt gcatttga 1698

<210> 4

<211> 34

<212> DNA

<400> 4

ttggatcctt actcaaatgc aaatgttgca tctg

34

<210> 5

<211> 1698

<212> DNA

<400> 5

atgaagacaa ccattatattt gatactactg acccattggg tctacagtca aaaccaacc 60
 agtggcaaca acacagccac attatgtctg ggacaccatg cagtagcaaa tggaacattg 120
 gtaaaaaacaa taactgatga ccaaatgtag gtgacaaatg ctactgaatt agttcagagc 180
 atttcaatag ggaaaatatg caacaactca tatagagttg tagatggaag aaattgcaca 240
 ttaatagatg caatgctagg agacccccac tgtgatgtct ttcagtatga gaattgggac 300
 ctcttcatag aaagaagcag cgctttcagc aattgctacc catatgacat ccctgactat 360
 gcatcgctcc ggtccattgt agcatcctca ggaacattgg aattcacagc agagggattc 420
 acatggacag gtgtcactca aaacggaaga agtggagcct gcaaaagggg atcagccgat 480
 agttttcttta gccgactgaa ttggctaaca aaatctggaa actcttacct cacattgaat 540
 gtgacaatgc ctaacaataa aaatttcgac aaactataca tctgggggat tcatcacccg 600

agctcaaacc aacagcaaac agaattgtac atccaagaat caggacgagt aacagtctca 660
 acaaaaagaa gtcaacaaac gataatccct aatatcggat ctagaccgtg ggtcaggggt 720
 caatcaggca ggataagcat atactggacc attgtaaaac ctggagatat cctaatagata 780
 aacagtaatg gcaacttagt tgcaccgcgg ggatatttta aattgaaaac agggaaaagc 840
 tctgtaatga gatcagatgc acccatagac atttgtgtgt ctgaattatt acaccaaagc 900
 gaagcatccc caacgacaaa ccatttcaaa atgtgaacaa agttacatat ggaaaatgcc 960
 ccaagtatat caggcaaaac acttttaaagc tggccactgg gatgaggaat gtaccagaaa 1020
 agcaaatcag aggaatcttt ggagcaatag cgggattcat agaaaacggc tgggaaggaa 1080
 tggttgatgg gtggtatgga ttccgatatc aaaactcggg aggaacagga caagctgcag 1140
 atctaaaaga gcaactcaagc agccatcgac cagattaatg gaaaattaaa cagagtgatt 1200
 gaaaggacca atgagaaatt ccatacaata gagaaggaat tctcagaagt agaagggaga 1260
 atccaggact tggagaagta tgtagaagac accaaaatag acctatgggc ctacaatgca 1320
 gaattgctgg tggctctaga aaatcaacat acaattgact taacagatgc agaaatgaat 1380
 aaattattcg agaagactag acgccagtta agagaaaacg cggaagacat gggaggtgga 1440
 tgtttcaaga tttaccacaa atgtgataat gcatgcattg gatcaataag aaatgggaca 1500
 tatgaccatt acatatacag agatgaagca ttaaacaacc gatttcaaat caaagtggtt 1560
 gagttgaaat caggctacaa agattggata ctgtggattt cattcgccat atcatgcttc 1620
 ttaatttgcg ttgttctatt gggtttcatt atgtgggctt gccaaaaagg caacatcaga 1680
 tgcaacattt gcatttga 1698

<210> 6

<211> 35

<212> DNA

<400> 6

tttgtcgaca tgaayccaaa tcaaaarata ataac 35

<210> 7

<211> 32

<212> DNA

<400> 7

tttggatccy tacatcttrt cgatgtcaaa gg 32

<210> 8

<211> 1412

<212> DNA

<400> 8

atgaacccaa atcaaaagat aataacaatt ggatctgcat cattaggagt actaatcctc 60
 aacgtcattc tccatgtagt cagcattata gtaacagtac tggttctcaa taacaatgga 120
 acaggtctga actgcaacgg gacgatcata agagagtaca atgaaacagt aagagtagaa 180
 agaatcaccc aatgggtataa tactagtaca attgagtaca tagaaagatc ttcaaatagaa 240
 tactacatga acaacaccga accactttgt gagggccagg gctttgcacc attttccaaa 300
 gacaatggaa tacgaattgg gtcgagaggc catgtttttg taataagaga accttttgta 360

agctattctt ccctttgaca tagacaagat gtag

1414

<210> 10

<211> 26

<212> DNA

<400> 10

ttgtcgacca tggcgtctca aggcac

26

<210> 11

<211> 28

<212> DNA

<400> 11

tttctagact ttaaytgtca wactcytc

28

<210> 12

<211> 1497

<212> DNA

<400> 12

atggcgtctc aaggcaccaa acgatcttat gagcagatgg aaactgatgg ggaacgccag 60
aatgcaactg aaatcagagc atctgtcggg aggatggtgg gaggaatcgg ccggttttat 120
gttcagatgt gtactgagct taaattaaac gaccatgaag ggcggtgat tcagaacagc 180
ataacaatag aaaggatggt actttcggca ttcgacgaaa gaagaaacaa gtacctcgag 240
gagcatccca gtgctgggaa agaccctaag aaaacgggag gcccgatata cagaaggaaa 300
gatgggaaat ggataagaga actcatcctc catgataaag aggaaatcat gagggtctgg 360
cgtcaggcca acaatggtga agatgctact gctgggtctta cccatatgat gatctggcac 420
tccaatctca atgacaccac ataccaaaaga acaagggtc ttgttcggac tgggatggat 480
cccagaatgt gctctctgat gcaaggatca accctccac ggagatctgg agctgccggg 540
gctgcagtaa aagggtgttg aacaatgata atggaactca tcaggatgat caaacgcggg 600
ataaatgatc gaaatttctg gagaggtgaa aatgggtcgaa gaaccagaat tgcttatgaa 660
agaatgtgca atacctcaa agggaaatct caaacagcag cacaacgggc tatgatggaa 720
ccaagtgagg gagggccgca atcctggaaa tgctgagatt gaggatctca ttttcttggc 780
acgatcagca ctcatctgag aggatcagta gcccataaat catgcctacc tgctgtgtt 840
tatggccttg cagtaaccag tgggtatgac tttgagaagg aaggatactc tctgggtggg 900
attgatcctt tcaaactact ccagaacagc caaatcttca gtctaactcag accgaaagaa 960
aatccagcac acaagagcca gttggtgttg atggcatgcc attctgcagc atttgaggac 1020
ctgagagttt tgaatttcat tagaggaaca aaagtaatcc caagaggaca gttggcaacc 1080
agaggagtgc agattgcttc aaatgaaaac atggagaaca atagattcta gcacactcga 1140
actgagaagc agatattggg caataaggac cagaagtgga ggaaacacca gtcaacagag 1200
agcatctgca ggacagataa gtgtgcaacc tactttctca gtgcagagaa atcttccctt 1260
tgaaagagca accattatgg ctgcatttac tgggaacact gagcggagga cttccgacat 1320
gagaacggaa atcataagga tgatggaaaa tgccaaatca gaagatgtgt ctttccaggg 1380
gcggggagtc ttcgagctct cggacgaaaa ggcaacgaac ccgatcgtgc cttcctttga 1440

catgacaatg aagggctctta tttcttcgga gacaatgctg aggagtatga cagttaa 1497

<210> 13

<211> 1493

<212> DNA

<400> 13

atggcgtctc aaggcaccaa acgatcttat gagcagatgg aaactgatgg ggaacgccag 60
aatgcaactg aaatcagagc atctgtcggg aggatggtgg gaggaatcgg ccggttttat 120
gttccagatg tgtactgagc ttaaactaaa cgaccatgaa gggcggctga ttcagaacag 180
cataacaata gaaaggatgg tactctcggc attcgcacgaa agaagaaaaca agtatctcga 240
ggagcatccc agtgctggga aagaccctaa gaaaacggga ggcccgatat acagaaggaa 300
agatgggaaa tggatgagag aactcatcct ccatgataaa gaagaaatca tgaggatctg 360
gcgtcaggcc aacaatggtg aagacgctac tgctggtctt actcatatga tgatctggca 420
ctccaatctc aatgacacca aagaacaagg gctcttggtt ggactgggat ggatcccaga 480
atgtgctctc tgatgcaagg ctcaaccctc ccacggagat ctggagccgc tgggtgctgca 540
gtaaaagggtg ttggaacaat ggtaatggaa ctcatcagaa tgatcaaacy cgggataaat 600
gatcggaatt tctggagagg tgaaaatagg tcgaagaacc agaattgctt atgaaagaat 660
gtgcaatatc ctcaaaggga aatttcagac agcagcacia cgggctatga tggaccaggt 720
gaggggaaggc cgcaatcctg gaaacgctga gattgaggat ctcatcttct tggcacgata 780
agcacttatt ttgagaggat cagtagccca taaatcatgc ctacctgcct gtgtttatgg 840
ccttgacagta accagtgggt atgactttga gaaggaagga tactctctgg ttggaattga 900
tcctttcaaa ctactccaga acagccaaat tttcagtcta atcagaccga aagaaaaccc 960
agcacacaag agccagttgg tgtggatggc atgccattct gcagcatttg aggacctgag 1020
agttttgaat ttcattagag gaaccaaagt aatccaaga ggacagttag caaccagagg 1080
agtgcaaatt gcttcaaag aaaacatgga gacaatagat tctagcacac tcgaactgag 1140
aagcaaatat tgggcaataa ggaccagaag tggaggaaaa caccagtcaa cagagagcat 1200
ctgcaggaca gataagtgtg caacctactt tctcagtga gagaaatctt ccctttgaaa 1260
gagcaaccat tatggctgca ttactggga aactgaagg gaggacttcc gacatgagaa 1320
cggaaatcat aaggatgatg gaaaatgcca aatcagaaga tgtgtctttc caggggagg 1380
gagtcttcga gctctcggac gaaaaggcaa cgaacccgat cgtgccttcc tttgacatga 1440
gcaatgaagg gtcttatttc ttcggagaca atgctgagga gtttgacaat taa 1493